AFPC Commitment to the Joint Statement of Action to Address the Opioid Crisis in Canada

Competencies for Pharmacists in Pain, Opioids, and Opioid Overdose & Opioid Use Disorder

June 2018







BACKGROUND

The Joint Statement of Action to Address the Opioid Crisis in Canada started with a summit held in November 2016, led by the Honourable Dr. Jane Philpott, then federal Minister of Health, and the Honourable Dr. Eric Hoskins, then Ontario Minister of Health and Long-Term Care. At the summit, over 30 partners signed action-oriented commitments to improve prevention, treatment and harm reduction associated with problematic opioid use. The partners included governments, councils and organizations with more partners continuing to join subsequently, with work ongoing, and a strategy in place through the Centre on Substance Use and Addiction to facilitate national information sharing.

At the summit, the Association of Faculties of Pharmacy of Canada (AFPC) committed to:

- 1. Conduct an environmental scan to identify faculty experts, best teaching practices and the extent to which current curricula addresses pain management, opioid use and misuse.
- 2. Adapt and disseminate the recommendations of the First Do No Harm: Responding to Canada's Prescription Drug Crisis Strategy "Competencies for health professionals in pain management, drug prescribing, dependence, addiction and abuse" within the curricula for undergraduate levels and continuing professional development of the 10 faculties of pharmacy.

An AFPC working group was created consisting of representatives from each of the 10 Faculties of Pharmacy in Canada.


AFPC Opioid Working Group Members

Faculty	Members
Leslie Dan Faculty of Pharmacy University of Toronto	Beth Sproule (Chair)
College of Pharmacy Dalhousie University	David Gardner Andrea Murphy
Faculty of Pharmacy and Pharmaceutical Sciences University of Alberta	Candace Necyk
School of Pharmacy University of Waterloo	Barb Coulston Michael Beazely Kelly Grindrod
College of Pharmacy University of Manitoba	Shawn Bugden Christine Leong
Faculté de pharmacie Université de Montréal	Yola Moride Marie-Claude Vanier
Faculté de pharmacie Université Laval	Anne Dionne
College of Pharmacy & Nutrition University of Saskatchewan	Fred Remillard
Faculty of Pharmaceutical Sciences The University of British Columbia	Brian Cairns Penny Miller
School of Pharmacy Memorial University	Lisa Bishop

COMPETENCY STATEMENT DEVELOPMENT

In 2013, the Canadian Centre on Substance Use and Addiction launched the "First Do No Harm: Responding to Canada's Prescription Drug Crisis" report – a 10-year pan-Canadian strategy that makes 58 recommendations across the prevention, education, treatment, monitoring and surveillance, and enforcement domains. One of the education recommendations is to establish and implement core competencies for all types of healthcare practitioners.

A subsequent document was produced entitled "Competencies for health professionals in pain management, drug prescribing, dependence, addiction and abuse" that was intended to be used and adapted by different healthcare professional disciplines. This document formed the basis of AFPC's work in creating a list of competencies for pharmacists specifically related to pain and opioids. This work was also aided by the development of an initial framework to help provide structure to the work and discussions. The framework included 3 key sections and a cross-cutting themes section. Subgroups of the AFPC Opioid Working Group drafted statements for each section, which were then discussed and worded to reach consensus.



COMPETENCY STATEMENTS FOR PHARMACISTS

Pharmacists are able to:

Section 1 - Pain

- 1. Assess and recognize pain in different contexts: acute pain, chronic pain, and pain in palliative care.
- 2. Provide education to patients on types of pain, and both pharmacologic and non-pharmacological treatment options.
- 3. Recommend safe and responsible pharmacotherapy according to relevant guidelines.
- 4. Create, implement and monitor pain management plans, being responsive to patients' preferences and goals.
- 5. Provide evidence-informed guidance for patients making decisions related to pain management.

Section 2 - Opioids

- 6. Maintain and further develop specialized knowledge of the pharmacodynamics and pharmacokinetics of opioids, to help inform patients and prescribers about their clinical effectiveness in pain management, as well as associated risks.
- 7. Reduce potential opioid risks by assessing patients before and during therapy, and providing recommendations for appropriate pharmacotherapy options.
- 8. Recommend safe and responsible opioid pharmacotherapy for select pain patients according to relevant guidelines and legislation to optimize benefits and minimize risks.
- 9. Provide evidence-informed guidance for patients making decisions related to the appropriate and safe use of opioids for acute, chronic or palliative pain, including management of side effects, drug interactions and specific precautions.

Section 3 – Opioid Overdose and Opioid Use Disorder

- 10. Assess and manage overdose risks in patients using opioids.
- 11. Provide education to patients, and their family or other significant persons, on opioid overdose management, including naloxone administration.
- 12. Assess signs, symptoms and behaviours in patients using opioids for pain management to distinguish amongst undertreated pain, physical dependence and opioid use disorder.
- 13. Assess and manage opioid use disorder as a chronic, relapsing health issue, being responsive to patients' preferences and goals.
- 14. Provide opioid use disorder pharmacotherapy services according to relevant guidelines and legislation to optimize benefits and minimize risks.
- 15. Provide evidence-informed guidance for patients with opioid use disorder making decisions related to pain management.

Section 4 – Cross-Cutting Themes

16. Collaborate with other healthcare and social services workers to optimize opioid and pain-related care and services. Patients, and families when relevant, are considered full team members and are involved in all decisions.

- 17. Understand the role and responsibilities of other team members in opioid and pain-related care and services, and ensure the pharmacist's professional role and responsibilities are understood by other professionals and patients. Complementarity is sought amongst professionals' and patients' participation to the full extent of their capacities.
- 18. To communicate clearly and respectfully with patients in an individualized manner, and ensure efficient oral and written communication with other professionals to foster continuity of care and services.

 Confidentiality is part of every communication.
- 19. To inform patients, and families when relevant, about safe opioid use and pain management, to support them in their full participation in decisions and to maximize their self-management capacities. Patients' needs are reassessed regularly.
- 20. To prevent conflicts within the team or with patients when possible, and manage those efficiently when present. The pharmacist considers all opinions and facilitates working together cooperatively.

The working group has created lists of both knowledge and skills items specifically for Sections 1, 2 and 3 to guide content for courses addressing these competencies. See Appendix.

RECOMMENDATIONS

The AFPC Opioid Working Group makes the following recommendations:

- 1. Since the most common approach to delivering content related to pain and opioids is to embed it across the curricula in courses that cover a variety of therapeutic content, each AFPC Faculty should systematically review their courses, in order to ensure:
 - the content is delivered consistently across their program, to avoid contradictory messaging.
 - the development of the needed knowledge and skills is delivered in a coherent manner.
 - the elimination of redundancies.
 - the development of key competencies for practice.
- 2. AFPC Faculties that are missing key pain and opioid topic areas in their program should take steps to incorporate them.
- 3. AFPC Faculties should review their content in the area of opioid use disorder assessment and pharmacotherapy for opioid use disorder in particular, to ensure appropriate and adequate coverage.
- 4. AFPC Faculties should utilize the competency framework for pharmacists to ensure the development and advancement of the knowledge and skills required to achieve these competencies, in both undergraduate and continuing professional development programs.

APPENDIX: Competency Statements and Related Knowledge and Skills Items

Section 1 - PAIN

Pharmacists are able to:

- 1. Assess and recognize pain in different contexts: acute pain, chronic pain, and pain in palliative care.
- 2. Provide education to patients on types of pain, and both pharmacologic and non-pharmacological treatment options.
- 3. Recommend safe and responsible pharmacotherapy, for select pain patients, according to relevant guidelines.
- 4. Create, implement and monitor pain management plans, being responsive to patients' preferences and goals.
- 5. Provide evidence-informed guidance for patients making decisions related to pain management.

Pain	Knowledge Items	Skills Items
Pain Pathophysiology	- Definition of pain, its purpose, prevalence, and societal impact	Treat as health issue, including all chronic disease self-management principles
	- Biopsychosocial model of pain, concept of total pain	- Provide a supportive, collaborative, and stigma-free practice for pain patients
	- Illustrate the difference between acute, chronic, palliative and pain malignancy (or	- Demonstrate an understanding of total pain concept
	cancer) and how each treatment protocol will differ.	 Provide ongoing clear and supportive pain education tailored to individual pain
	 Physiology: normal acute pain pathways (transduction, transmission, perception, modulation) of nociceptive pain 	patient's literacy level
	- Pathophysiology of chronic pain, including neuropathic pain	
	- Peripheral and central sensitization concepts of chronic pain	
	 Understand the signs and symptoms and relevant physical exam and laboratory findings, associated with pain Know the components of a complete pain 	Conduct a thorough pain assessment interview - use a validated assessment tool (e.g. BPI) to assist in the creation of a comprehensive and holistic pain management plan
Pain Assessment	assessment including precipitating factors, quality-sharp/dull, region/radiation, subjective information and temporal relationship, psychosocial impact, functional impact, suffering	 Assess patients pain using PQRST approach Assess patient for pain-related behaviour (e.g. catastrophizing) that will impact pain management outcomes
	 Understand the prevalence, pathophysiology and management of each of the major pain disorders including: 	 Facilitate medical referrals and urgency of referrals based on patient history (e.g. red

Pain	Knowledge Items	Skills Items
Pain Assessment (continued)	headache/migraine, bone and joint, musculoskeletal, diabetic neuropathy and fibromyalgia. - Appreciate the social, psychologic and physical aspects of chronic and cancer pain	flags for cauda equina, temporal arteritis) - Utilize relevant labs, assessment tools, and clinical data - Incorporate the patient experience and insight, appreciating cultural preferences and differences, in collaborative treatment decisions. - Collaborate with multi-disciplinary pain management team members to improve patient pain management outcomes
	Non-Pharmacological Approach to Pain	Non-Pharmacological Approach to Pain
	- Understand the non-pharmacologic options available to help relax, distract, refocus, or support the patient:	 Incorporate the patient experience, insight, preference in collaborative treatment decisions
Pain Treatment	- thermal therapy, physical stimulation (massage), physical manipulation (physical therapy)	Recommend a patient-specific care plan that includes non-pharmacological pain management strategies to improve pain
	 stimulation techniques (acupuncture, acupressure, TENS) cognitive behavioral therapy, relaxation and support groups 	 outcomes and improved functioning Referral/recommendation to non-pharm pain care providers as needed (e.g. PT, RMT, SW)
	Pharmacological Approach to Pain Goals of therapy (pain reduction and increased daily functioning within a reasonable time period and to minimize adverse events.	- Educate the patient on 3-pronged approach for pain plan to incorporate medication, movement, and strategies for emotional/cognitive coping with pain, specifically chronic pain
	 Know the therapeutic outcomes for pain therapy including efficacy (subjective, objective response, pain scales) and appropriate therapy adjustment options Understand the concept of personalized pharmacotherapy which comprises the stepwise use of all analgesics based on its safety and efficacy profile; OTC, herbal, non-opioid, opioid and adjuvants Understand the pharmacology and mechanism of action of each analgesic class as it pertains to the specific management of each of the pain disorders 	 Pharmacological Approach to Pain Educate patient on goals and limitations of pharmacological therapy for pain management e.g. goals of reduced pain and improved daily functioning Apply the pharmaceutical care approach to patients with acute pain or chronic pain Interpret the evidence in order to guide treatment decisions recognizing guidelines when available Design pharmaceutical care plans that individualizes therapy providing personalized pharmacotherapy that considers: pain type
	Compare and contrast the typical non-opioid pharmacotherapies used for the various pain	and condition, patient age, allergies, comorbidities, genetics, kinetic parameters,

Pain	Knowledge Items	Skills Items
Pain Treatment (continued)	 Syndromes Describe analgesic dosage forms options (oral, suppository, transdermal patches, liquid, parenteral) and know which and when to use, based on indications, patient preference, convenience and feasibility. Also know how to adjust the administration routes as needed for the patient Know dosing schemes for analgesic therapy including break through pain and around-theclock dosing for each of the pain disorders Understand reasons for patients experiencing under-dosing and overdosing outcomes including drug/nutrient interactions, disease state and pharmacokinetic/pharmacogenomic/pharmacodynamic principles, as it applies to the patient. Recognize analgesic adverse effects and recommend treatments. Know the different analgesic strategies required for managing pain of all the subpopulations (neonatal/child, pregnancy and elderly) 	concurrent medications, and psychosocial relevant factors (e.g. cost of medications, patient preference) - Adjust care plan according to the stages of pain control (night vs rest vs activity) - Provide ongoing follow-up to evaluate analgesic therapy and provide adjustments to analgesic therapy depending on efficacy of analgesia, patient symptoms, adverse effects, laboratory tests, tolerance, dependence, weaning or rebound effect and the appearance of a new problem - Management of toxicity of medications used in the management of pain - Provide pain management recommendations for special patient groups (i.e. pregnancy, elderly, children)

Section 2 - OPIOIDS

Pharmacists are able to:

- 6. Maintain and further develop specialized knowledge of the pharmacodynamics and pharmacokinetics of opioids, to help inform patients and prescribers about their clinical effectiveness in pain management, as well as associated risks.
- 7. Reduce potential opioid risks by assessing patients before and during therapy, and providing recommendations for appropriate pharmacotherapy options.
- 8. Recommend safe and responsible opioid pharmacotherapy for select pain patients according to relevant guidelines and legislation to optimize benefits and minimize risks.
- 9. Provide evidence-informed guidance for patients making decisions related to the appropriate and safe use of opioids for acute, chronic or palliative pain, including management of side effects, drug interactions and specific precautions.

Opioids	Knowledge Items	Skills Items
Opioids Knowledge and Skills	 Opioids and Society Describe the history of opioid use and societal consequences of uncontrolled use. Opioid Physiology Outline the families of classic opioid peptides: enkephalins, endorphins, and dynorphins and their respective physiologic roles. List the opioid receptors mu, delta, kappa and sigma and their role in the endogenous opioid system. Opioid Pharmacology Describe the pharmacologic mechanism of action of opioids at the opioid receptor sites and descending inhibitory pathway. Describe the action of opioid agonists, antagonists and mixed agonist-antagonists and identify agents that demonstrate these properties. 	 Opioid Education Outline safe prescribing practices, appropriate quantities, storage and destruction of unused opioid prescriptions. Provide essential patient education to ensure safe use. Opioid Dispensing Document opioid prescriptions and relevant patient /prescriber communication. Describe the communication that is necessary with prescribers. Opioids and Pain Management Identify and assess those patients/conditions that can benefit from the analgesic effects of opioids in acute and chronic pain. Be familiar with alternate drug and non-drug treatments for pain. Course of Opioid Therapy Describe indications for an opioid rotation and perform/conduct an opioid rotation.
	 State the difference between opioids and opiates. Appreciate the breadth of illicit opioids and how they are similar to, and differ from, prescription opioids Describe opioid-induced respiratory depression and its reversal by opioid 	 Demonstrate how to use opioid equianalgesia tables. Describe the indications for an opioid taper and design an opioid taper. Discuss exit strategies and time to discuss tapers to elimination of long term opioid use.

Opioids	Knowledge Items	Skills Items
	antagonists	Opioid Monitoring
Opioids	Opioid Pharmacokinetics and Drug Interactions	 Demonstrate how to monitor for efficacy and toxicity in a patient on opioids.
	Discuss the pharmacokinetic differences among available opioids and opioid antagonists	- Outline appropriate monitoring for patients on long-term opioids (e.g. 5 A's of monitoring chronic pain – activity, analgesia, adverse effects,
Knowledge and Skills	d - Be familiar with abuse-deterrent formulations	aberrant behaviour, affect)Identify appropriate opioid use treatment
(continued)	 Outline pharmacogenetic differences that influence the effect of opioids 	agreements to be used by the patient, physician and pharmacist.
	 Discuss the rationale (advantages/disadvantages) for each route of administration and dosage formulation of available opioids 	Opioid Overdose Training Provide education on overdose management., including signs and symptoms of opioid overdose, how to use naloxone to reverse an
	Outline the clinically important drug interactions with opioids and their management, particularly with other CNS depressants	overdose, and emerging best practices
	Therapeutic Use of Opioids	
	- Discuss the pharmacodynamic differences among available opioids and opioid antagonists	
	- Describe the clinical effects of opioids	
	- Discuss the common and serious side effects of the opioids and their management.	
	- Describe the allergic reactions caused by various opioids and their management.	
	 Describe symptoms of opioid induced hyperalgesia and the proposed causative mechanism. 	
	- Outline the place of opioids in the management of acute and chronic pain.	
	- Distinguish between the terms opioid tolerance, dependence, and addiction as they relate to the use of these drugs for the management of pain	
	 Discuss precautions for opioid use in special populations: pediatrics, geriatrics and pregnancy. 	

Section 3 – OPIOID OVERDOSE and OPIOID USE DISORDERS

Pharmacists are able to:

- 10. Assess and manage overdose risks in patients using opioids.
- 11. Provide education to patients on opioid overdose management, including naloxone administration.
- 12. Assess signs, symptoms and behaviours in patients using opioids for pain management to distinguish amongst undertreated pain, physical dependence and opioid use disorder.
- 13. Assess and manage opioid use disorder as a chronic, relapsing chronic health issue, being responsive to patients' preferences and goals.
- 14. Provide opioid use disorder pharmacotherapy services according to relevant guidelines and legislation to optimize benefits and minimize risks.
- 15. Provide evidence-informed guidance for patients with opioid use disorder making decisions related to pain management.

Opioid Overdose & Opioid Use Disorder

- Pathophysiology
- Assessment
- Treatment

(continued)

- pharmaceutical vs street sources
- treatment goals and outcomes
- harm reduction concepts and evidencebase
 - mechanism of action, efficacy, relevant pharmacokinetics, adverse effects, clinically important drug interactions, formulations, cost/availability and justify place in opioid dependence treatment of methadone and buprenorphine.
- evidence-base for OUD pharmacotherapy (risks and benefits)
- role and evidence for opioid withdrawal management with pharmacotherapy (risks and benefits)
- common comorbidities
- drug screening in biological samples
- opioid agonist treatment diversion risks
- overdose risks

- advise on safe opioid agonist therapy take-home dose practices
- educate patients on potential for precipitated withdrawal, and explain how to avoid it during buprenorphine induction
- assess patients presenting for observed opioid agonist therapy dosing for appropriateness and safety
- collaborate with patients in decisionmaking around discontinuing opioid agonist therapy, providing evidencebased information
- use motivational approaches to help guide patients in their change goals
- provide effective communication with care partners

*OAT refers to opioid agonists used in the treatment of opioid use disorder, for example, methadone and buprenorphine.



PO Box 59025 Alta Vista Ottawa, ON Canada K1G 5T7 613-298-7167 executivedirector@afpc.info